



TEXTILES

cotton
cotton mix

as well as other natural fibres

also possible on **light/white polyester running shirts;**
danger of sublimation with coloured polyester shirts



APPLICATION

temperature: 175-190°C
preheating is not necessary

time: 10 seconds

pressure: 0.5 – 0.8 kp/cm²
3-4 bar (strong pressure)

strip off carrier paper when cold



SHELF LIFE

approx. 6 months if kept airtight
in a dark environment



REQUIREMENTS

minimum detail strength
positive: 0.6 mm, negative: 1.0 mm
(feed) for isolated details and texts

vector file
or pixel graphics with 300 dpi

minimum quantity
100 pcs.



CARE

washable up to 40°C
iron inside out
do not chlorinate
do not tumble-dry
do not dry-clean



CERTIFICATE

tested for harmful substances
Oeko-Tex Standard 100 Class 1
suitable for babies and toddlers



TRANSFER PRINTING

Foto-Transfer

PHOTO-REALISTIC

Photo-transfers are produced in **4-colour screen printing**. In this way, photos can be transferred **faithfully up to 60s grid** on textiles. You will get an **elastic** and **durable surface, perfect opacity and a soft touch**.

Photo-transfers have a **high colour brilliance** and reproduce photos and images true to the original. **Suitable for cotton and cotton mix**



CHARACTERISTICS

offset-printing in 60s grid (CMYK)
soft touch
high degree of elasticity and opacity
glossy
high colour brilliance
suitable for babies and toddlers