



TEXTILES

cotton

cotton mix

with a cotton content of at least 70%

natural fibres

the textile (incl. softener) has to withstand an **ironing temperature of 200°C**



APPLICATION

temperature: 190-200 °C

Preheating is not necessary

time: 6-12 seconds

pressure: 0.5-0.8 kp/cm²

3-4 bar (strong pressure)

Strip off carrier paper while still hot



SHELF LIFE

approx. 2 years if kept airtight
in a dark environment



REQUIREMENTS

minimum detail strength

positive: 0.3 mm, negative: 0.6 mm
(feed)

Vector file

or pixel graphics with 600 dpi

minimum quantity

100 pcs.



CARE

washable up to 60°C

iron inside out

do not chlorinate

do not tumble-dry

do not dry-clean



CERTIFICATE

tested for harmful substances

Oeko-Tex Standard 100 Class 1

suitable for babies and toddlers



TRANSFER PRINTING

Soft-Transfer

HARDLY PERCEPTIBLE

With a soft-transfer **the ink penetrates completely into the fabric** leaving a **hardly perceptible layer of ink** on the fabric. A characteristic feature of this transfer is its **soft, elastic and durable surface**. Ideally, it is applied on absorbent, elastic cotton or cotton blend fabric or other natural fibres which are suitable for an **ironing temperature of 200°C**.

Optimum results are achieved on **light backgrounds**. On **coloured or dark backgrounds** the colours may come out **incorrect**. Only **black soft-transfers** are opaque enough on any background.



CHARACTERISTICS

hardly perceptible

The paint does not stay on the surface, but penetrates into the textile

low opacity

only suitable for light backgrounds

mat

suitable for babies and toddlers