


**Functional softshell jacket with high-quality features**

Sturdy, durable softshell  
 Wind- and water-repellent (2,000 mm water column)  
 Breathable and permeable to water vapour (2,000 g/m<sup>2</sup>/24h)  
 Stand-up collar  
 Ergonomically shaped sleeves, extended back  
 Inner cuffs  
 Full-length under-panel zip with storm flap and chin cup  
 Zipped side pockets, breast pocket and inner pocket  
 Breast pocket with flap, mobile phone pocket inside  
 Reflective elements (without protective function/no PPE) on sleeves and at the back  
 Buttons and zips: In order to avoid the product in hand being damaged, all the buttons and zips are concealed

**Fabric:** Outer fabric (320 g/m<sup>2</sup>): 100% polyester

**Country of origin:** Volksrepublik China

**Customs tariff number:** 62033310

**Care instructions:**

**Available colours**

|  | XS    | S     | M     | L     | XL    | XXL   | 3XL   |
|--|-------|-------|-------|-------|-------|-------|-------|
| <b>Weight in g</b>   | 660 g | 677 g | 701 g | 745 g | 774 g | 810 g | 842 g |
| <b>VPE</b><br>(Pcs. per inner packaging<br>/ pcs. per outer packaging) | 1/20  | 1/20  | 1/20  | 1/20  | 1/20  | 1/20  | 1/20  |

|  | 4XL   | 5XL   | 6XL   |
|--|-------|-------|-------|
| <b>Weight in g</b>   | 855 g | 870 g | 888 g |
| <b>VPE</b><br>(Pcs. per inner packaging<br>/ pcs. per outer packaging) | 1/20  | 1/20  | 1/20  |

| Measurements in cm                | XS       | S        | M        | L        | XL       | XXL      | 3XL      |
|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|
| <b>1/2 chest</b>                  | 52,00 cm | 55,00 cm | 58,00 cm | 61,00 cm | 64,00 cm | 67,00 cm | 70,00 cm |
| <b>1/2 waist width</b>            | 51,00 cm | 54,00 cm | 57,00 cm | 60,00 cm | 65,00 cm | 66,00 cm | 69,00 cm |
| <b>1/2 bottom width</b>           | 50,00 cm | 53,00 cm | 57,00 cm | 60,00 cm | 63,00 cm | 66,00 cm | 69,00 cm |
| <b>front length from shoulder</b> | 70,00 cm | 71,00 cm | 72,00 cm | 74,00 cm | 76,00 cm | 78,00 cm | 80,00 cm |
| <b>length back from shoulder</b>  | 74,00 cm | 75,00 cm | 76,00 cm | 78,00 cm | 80,00 cm | 82,00 cm | 84,00 cm |
| <b>sleeve length</b>              | 64,00 cm | 65,00 cm | 66,00 cm | 67,00 cm | 68,00 cm | 69,00 cm | 70,00 cm |

| Measurements in cm       | 4XL      | 5XL      | 6XL      |
|--------------------------|----------|----------|----------|
| <b>1/2 chest</b>         | 74,00 cm | 78,00 cm | 82,00 cm |
| <b>1/2 waist width</b>   | 73,00 cm | 77,00 cm | 81,00 cm |
| <b>1/2 bottom width</b>  | 73,00 cm | 77,00 cm | 81,00 cm |
| <b>front length from</b> | 82,00 cm | 84,00 cm | 86,00 cm |

| Measurements in cm        | 4XL      | 5XL      | 6XL      |
|---------------------------|----------|----------|----------|
| shoulder                  |          |          |          |
| length back from shoulder | 86,00 cm | 88,00 cm | 90,00 cm |
| sleeve length             | 71,00 cm | 72,00 cm | 73,00 cm |

Available colours

- black/lime-green (blackC, 360C)
- dark-green/orange (343C, 1575C)
- royal/white (286C, white)
- brown/stone (476C, 7501C)
- navy/turquoise (296C, 312C)
- white/royal (white, 301C)
- carbon/red (445C, 200C)
- red/navy (200C, 296C)

Features



**OEKO-TEX® Standard 100**  
OEKO-Tex® CONFIDENCE IN TEXTILES STANDARD 100 15.0.70467 HOHENSTEIN HTTI Tested for harmful substances. [www.oeko-tex.com/standard100](http://www.oeko-tex.com/standard100)



**Softshell**  
Softshell with TPU membrane consists of three layers. Due to the microporous TPU membrane as middle layer the material is water-proof, wind-proof and breathable at the same time.



**Breathable-Permeable to water vapour**  
Functional textiles must have the ability to transport moisture from the skin to the fabric surface as fast as possible. Permeability shows how much steam in grams can evaporate on a surface of 1 m2 within 24 hours. The higher this figure, the more breathable the textile is.



**Water column from 1.500 mm**  
The ability to withstand water pressure without moisture penetrating into the material is given by the water column (mm). The minimum standard is a water column of 1,500 mm.